WELDING JOURNAL INDEX

VOLUME 44—1965

PUBLISHED BY THE AMERICAN WELDING SOCIETY, 345 EAST 47TH ST., NEW YORK, N.Y. 10017

Welding Journal

This part includes general technical articles, papers presented before Section and National meetings, articles for the Practical Welder and Designer, news, biographical items, current welding literature and advertising.

Welding Research Supplement

This section includes the reports of the Welding Research Council, critical digests of the literature, reports of the Project Committees and research reports of industry, also papers presented at National Meetings.

WELDING JOURNAL

SUBJECT INDEX

Aircraft Turbine Engine Gears, Electron Beam Welding—Applications and Design Considerations for—N. F. BRATKOVICH, R. E. ROTH and R. E. PURDY, 631–640 (Aug).

*All-Welded Aluminum Bodies Gain Momentum in Beverage Industry, 939 (Nov).

Aluminum Conductors, Attaching Electrical Contacts to—J. R. TERRILL, 647–654 (Aug).

Aluminum Sections, Out-of-Position Gas Shielded-Arc Welding of Heavy—C. L. MITCHELL, 727–734 (Sep).

*Aluminum Used to Wring Helium from Natural Gas, Welded, 197–198 (Mar).

AWS-ASTM Specifications for Mild Steel and Low-Alloy Steel Arc Welding Electrodes, The New 1964—W. T. DELONG, 87–99 (Feb).

Arc-Percussive Butt Welding of Fine Wire Conductors—P. P. KING and J. E. SCHNEPF, 100–105 (Feb).

Attaching Electrical Contacts to Aluminum Conductors—J. R. TERRILL, 647–654 (Aug).

*Automatic Stud Welding—Solution to Automotive Trim Installation, 405 (May).

*Automatic Submerged-Arc Welding Speeds Fabrication of Plate Girders, 490–491 (Jun).

Automatic Welding of LOX Tunnels on the Saturn V Booster—G. J. MERRICK, G. E. COOK and H. N. THOMAS, 394–401 (May).

Butt Welding of Fine Wire Conductors, Arc-Percussive—P. P. KING and J. E. SCHNEPF, 100–105 (Feb).

*California Firm Increases Cutting Speeds 33% with New Gas, 572 (Jul).

Comparison of Plasma and Oxyfuel Gas Cutting—G. R. SPIES, JR., 815–828 (Oct).

CO_2 Welding is Today a Qualified Process Within Shipbuilding—B. KOCH, 1005–1015 (Dec).

Corrosion Tests on Metallized Coated Steel—10 Year Report—AWS COMMITTEE ON METALLIZING (FLAME SPRAYING), 565–570 (Jul).

*Crack-Free Deposit Speels Success for Surfacing in Banbury Raw Material Mixer Application, 287 (Apr).

*Custom-Coated Electrodes Solve Unique Weld-Seal Problem, 406 (May).

*Efficient Use of Gas Shielded-Arc Welding with Flux-Cored Electrodes—R. K. LEE, J. A. HOWERY and G. O. STEHMAN, 562–564 (Jul).

Electron Beam Welding—Applications and Design Considerations for Aircraft Turbine Engine Gears—N. F. BRATKOVICH, R. E. ROTH and R. E. PURDY, 631–640 (Aug).

Electron Beam Welding Technique Development and Progress, Nonvacuum—R. F. DUHAMEL, 465–474 (Jun).

Fabricating the S-IC Space Booster—H. B. FARNER, and T. R. RUTKAY, 29–34 (Jan).

*Fabricating Steel That Paints Itself, 749 (Sep).

Fabrication Procedures for Enrico Fermi Fast Breeder Reactor Fuel Elements—R. G. DONNELLY, W. C. THURBER and G. M. SLAUGHTER, 1027–1034 (Dec).

First Experience in Field Welding at 100,000 psi Yield Strength Pipeline—R. B. GWIN and R. S. RYAN, 915–920 (Nov).

* A Practical Welder and Designer article.

*Flame Spraying Multiplies Life of Worn Parts for Brick-Making Machine, 573 (Jul).
Flux-Cored Electrodes, Efficient Use of Gas Shielded-Arc Welding—R. K. LEE, J. A. HOWERY and G. O. STEHMAN, 562–564 (Jul).
Flux-Cored Wire for the Welding of Steel—R. H. LEE, 387–393 (May).

Galvanized Steel, Projection Welding of Light Gage—W. H. MITSCH, 553–561 (Jul).
*Gas Metal-Arc Welded Snow Vehicles Obsolete Dog Sleds, 35–36 (Jan).
*Gas Metal-Arc Welding Helps Manufacturer Broaden Product Line, 937–938 (Nov).
Gas Metal-Arc Welding of Low-Alloy Steel Pipe—R. T. LOHR and G. E. WATKINS, 379–386 (May).
*Gas Metal-Arc Welding, Production of Automobile Bodies Improved with, 748–749 (Sep).
Gas Metal-Arc Welding with Short-Circuiting Transfer, New Applications for—R. T. TELFORD, 169–176 (Mar).
Gas Shielded-Arc Welding of Heavy Aluminum Sections, Out-of-Position—C. L. MITCHELL, 727–734 (Sep).
Gas Shielded-Arc Welding with Flux-Cored Electrodes, Efficient Use of—R. K. LEE, J. A. HOWERY and G. O. STEHMAN, 562–564 (Jul).
Gas Tungsten-Arc Hole Piercing—H. B. CARY and T. W. SHEARER, JR., 20–28 (Jan).

Hard-Surfaced Buffing Adaptors Give 4 Times Life of Tool Steel, 850 (Oct).
*Hard-Surfaced Pump Impeller Resists Corrosion and Abrasion, 659 (Aug).
*Hard Surfacing Reclaims Dragline House Roller Shafts: Savings—$250 Per Shaft, 571 (Jul).
*Heavy Box Sections Tandem Arc-Welded for Moon Shot Crawler-Transporter, 658–659 (Aug).
High Frequency Welded Structural Shapes—C. G. WOLCOTT, 921–926 (Nov).
How to Guarantee Quality Welds with Prequalified Joints—J. E. HINKEL, 735–743 (Sep).
*How Many Welders Can You Find in the Picture? 286–287 (Apr).

Induction Welding of Pipe Using 10,000 Cycles, R. F. DAILEY, 475–479 (Jun).

*Job Re-Trainees Weld Tank Trailers in West Virginia, 1035–1036 (Dec).

*Kaldo Vessel Shell Stress Relieved on Emergency Basis, 849 (Oct).

Laser Welding for Specialized Applications, Production—K. J. MILLER and J. D. NUNNIKHOVEN, 480–485 (Jun).
Lox Tunnels on the Saturn V Booster, Automatic Welding of—G. J. MERRICK, G. E. COOK and H. N. THOMAS, 394–401 (May).

*Metallized Transmission Parts Last Longer, 36 (Jan).
*Mobile Unit in New York Central Yards Saves Maintenance Time, 404–405 (May).

*New Cladding Process and Simple Jacket Construction Used for Mixing Vessel, 750 (Sep).
New Developments in Gas Metal-Arc Welding Control Systems—E. P. VILKAS, 838–845 (Oct).
*New Metalworking Technique Developed by Tobacco Company, 744–745 (Sep).
New 1964 AWS-ASTM Specifications for Mild Steel and Low-Alloy Steel Arc Welding Electrodes—W. T. DELONG, 87–99 (Feb).
Nickel Alloys, Submerged-Arc Welding of the—G. R. PEASE and R. A. BISHEL, 641–646 (Aug).
Nonvacuum Electron Beam Welding Technique Development and Progress—R. F. DUHAMEL, 465–474 (Jun).

*One Machine Instead of Two Cust Production Time 50%, 36–37 (Jan).
Out-of-Position Gas Shielded-Arc Welding of Heavy Aluminum Sections—C. L. MITCHELL, 727–734 (Sep).

*Plasma Arc Welding Boosts Zirconium Ingot Production, 657 (Aug).
*Plasma Arc Welding Meets Requirements for Rocket Motor Case Production, 848–849 (Oct).
Plasma Welding, Recent Developments in—G. COOPER, J. PALERMO and J. A. BROWNING, 268–276 (Apr).
*Plug Valves are Surfaced Using Nickel-Base Powder, 1036–1037 (Dec).
*Production of Automobile Bodies Improved with Gas Metal-Arc Welding, 748–749 (Sep).
Production Laser Welding for Specialized Applications—K. J. MILLER and J. D. NUNNIKHOVEN, 480–485 (Jun).
Projection Welding of Light Gage Galvanized Steel—W. H. MITSCH, 553–561 (Jul).
*Proper Procedures Overcome Weld Cracking Problems, 1037–1038 (Dec).

Rational Approach to Inspection and Testing of Engineering Weldments, A—R. CLOUGH, 261–267 (Apr).
Reactor Maintenance by Remote Internal Tube Welding—J. G. ROBERTS and L. NEWCOMB, 719–726 (Sep).
Recent Developments in Plasma Welding—G. COOPER, J. PALERMO and J. A. BROWNING, 268–276 (Apr).
*Reclaiming Engine Cylinders = $567,000 Savings, 850–851 (Oct).
*Reclamation of Worn Crankshafts Helps Engine Rebuilder Meet Competition, 407 (May).
*Repair of Worn Groove Puts Veteran Stripping Shovel Back in Action, 284–285 (Apr).
Root Bead Welding with "Y" Type Consumable Inserts—C. W. JOHNSTON, 277–281 (Apr).

Semiautomatic Welding Makes Joining of Huge Castings Profitable, 285–286 (Apr).
Shape of Things to Come, The—J. A. HILL, 13–19 (Jan).
Short-Circuiting Gas Metal-Arc Welding of High Nickel Alloys—G. R. STOECKINGER, 927–936 (Nov).
Short-Circuiting Transfer, New Applications for Gas Metal-Arc Welding with—R. T. TELFORD, 169–176 (Mar).
Steel, Flux-Cored Wire for the Welding of—R. H. LEE, 387–393 (May).
Steel Pipe, Gas Metal-Arc Welding of Low-Alloy—R. T. LOHR and G. E. WATKINS, 379–386 (May).
*Stress Relief of 1600 Butt Welds in Tubes for Nuclear Generating Station, 745–748 (Sep).
*Structural Fabricator Speeds Up "Manual" Welding Operations, 573 (Jul).
*Stud Welding Cuts Costs for Railroad Industry, 491 (Jun).
*Stud Welding Reaps Substantial Savings for Machinery Company, 938 (Nov).
*Stud Welding—Solution to Automotive Trim Installation, Automatic, 405 (May).
Submerged-Arc Welding of the High Nickel Alloys—G. R. PEASE and R. A. BISHEL, 641–646 (Aug).
*Submerged-Arc Welding Speeds Fabrication of Plate Girders, 490–491 (Jun).
*Surface Seal Face on Pump Give Double Service Life, 940 (Nov).

Theory and Application of Pulsed Laser Welding—J. E. Anderson and J. E. Jackson, 1018–1026 (Dec).
Tube Welding, Reactor Maintenance by Remote Internal—J. G. ROBERTS and L. NEWCOMB, 719–726 (Sep).

Vertical Submerged-Arc Welding—P. E. MASTERS and R. S. ZUCHOWSKI, 829–837 (Oct).

Welded Aluminum Telescopic Stands Permit Multiple Use of Auditorium, 556 (Aug).
Welded Connections for 26-Story Apartment Provide Strength with Light Weight—C. W. LYTTON, 106–108 (Feb).
*Welded Sprockets Cost Less, Last Longer, 658 (Aug).
*Welding for an All-Steel Modular Highway Bridge, 488–490 (Jun).

* A Practical Welder and Designer article.

AUTHOR INDEX

AWS Committee on Metallizing (Flame Spraying)—Corrosion Tests on Metallized Coated Steel—10 Year Report, 565–570 (Jul).
Anderson, J. E.—Theory and Application of Pulsed Laser Welding, 1018–1026 (Dec).

Bishel, R. A.—Submerged-Arc Welding of the High Nickel Alloys, 641–646 (Aug).
Bratkovich, N. F.—Electron Beam Welding—Applications and Design Considerations for Aircraft Turbine Engine Gears, 631–640 (Aug).
Browning, J. A.—Recent Developments in Plasma Welding, 268–276 (Apr).

Cary, H. B.—Gas Tungsten-Arc Hole Piercing, 20–28 (Jan).
Clough, R.—A Rational Approach to Inspection and Testing of Engineering Weldments, 261–266 (Apr).
Cook, G. E.—Automatic Welding of LOX Tunnels on the Saturn V Booster, 394–401 (May).
Cooper, G.—Recent Developments in Plasma Welding, 268–276 (Apr).

Dailey, R. F.—Induction Welding of Pipe Using 10,000 Cycles, 475–479 (Jun).
DeLong, W. T.—The New 1965 AWS-ASTM Specifications for Mild Steel and Low-Alloy Steel Arc Welding Electrodes, 87–99 (Feb).
Donnelly, R. G.—Fabrication Procedures for Enrico Fermi Fast Breeder Reactor Fuel Elements, 1027–1034 (Dec).
Duhamel, R. F.—Nonvacuum Electron Beam Welding Technique Development and Progress, 465—474 (Jun).

Farner, H. B.—Fabricating the S-IC Space Booster, 29–34 (Jan).

Gwin, R. B.—The First Experience in Field Welding a 100,000 psi Yield Strength Pipeline, 915–920 (Nov).

Hill, J. A.—The Shape of Things to Come, 13–19 (Jan).
Hinkel, J. E.—Hot to Guarantee Quality Welds with Prequalified Joints, 735–743 (Sep).
Howery, J. A.—Efficient Use of Gas Shielded-Arc Welding with Flux-Cored Electrodes, 562–564 (Jul).

Jackson, J. E.—Theory and Application of Pulsed Laser Welding, 1018–1026 (Dec).
Johnston, C. W.—Root Bead Welding with "Y" Type Inserts, 277–281 (Apr).

King P. P.—Arc-Percussive Butt Welding of Fine Wire Conductors, 100–105 (Feb).
Koch, B.—CO_2 Welding Is Today a Qualified Process Within Shipbuilding, 1005–1015 (Dec).

Lee, R. K.—Efficient Use of Shielded-Arc Welding with Flux-Cored Electrodes, 562–564 (Jul).
Lee R. H.—Flux-Cored Wire for the Welding of Steel, 387–393 (May).
Lohr, R. T.—Gas Metal-Arc Welding of Low-Alloy Steel Pipe, 379–386 (May).
Lytton, C. W.—Welded Connections for 26-Story Apartment Provide Strength with Light Weight, 106–108 (Feb).

Masters, P. E.—Vertical Submerged-Arc Welding, 829–837 (Oct).
Merrick, G. J.—Automatic Welding of LOX Tunnels on the Saturn V Booster, 394–401 (May).
Miller, K. J.—Welding Fabrication of High Pressure Oxygen Vessels for Life Support in Space, 187–193 (Mar).
Miller, K. J.—Production Laser Welding for Specialized Applications, 480–485 (Jun).
Mitchell, C. L.—Out-of-Position Gas Shielded-Arc Welding of Heavy Aluminum Sections, 727–734 (Sep).
Mitsch, W. H.—Projection Welding of Light Gage Galvanized Steel, 553–561 (Jul).

Newcomb, L.—Reactor Maintenance by Remote Internal Tube Welding, 719–726 (Sep).
Norcross, J. E.—Electroslag/Electrogas Welding in the Free World, 177–186 (Mar).
Nunnikhoven, J. D.—Production Laser Welding for Specialized Applications, 480–485 (Jun).

Palermo, J.—Recent Developments in Plasma Welding, 268–276 (Apr).
Pease, G. R.—Submerged-Arc Welding of the High Nickel Alloys, 641–646 (Aug).
Purdy, R. E.—Electron Beam Welding—Applications and Design Considerations for Aircraft Turbine Engine Gears, 631–640 (Aug).

Roberts, J. G.—Reactor Maintenance by Remote Internal Tube Welding, 719–726 (Sep).
Roth, R. E.—Electron Beam Welding—Applications and Design Considerations for Aircraft Turbine Engine Gears, 631–640 (Aug).
Rutkay, T. R.—Fabricating the S-IC Space Booster, 29–34 (Jan).
Ryan, R. S.—The First Experience in Field Welding a 100,000 psi Yield Strength Pipeline, 915–920 (Nov).

Schnepf, J. E.—Arc-Percussive Butt Welding of Fine Wire Conductors, 100–105 (Feb).
Shearer, T. W. Jr.—Gas Tungsten-Arc Hole Piercing, 20–28 (Jan).
Slaughter, G. M.—Fabrication Procedures for Enrico Fermi Fast Breeder Reactor Fuel Elements, 1027–1034 (Dec).
Spies, G. R., Jr.—A Comparison of Plasma and Oxyfuel Gas Cutting, 815–828 (Oct).
Stehman, G. O.—Efficient Use of Gas Shielded-Arc Welding with Flux-Cored Electrodes, 562–564 (Jul).
Stoeckinger, G. R.—Short-Circuiting Gas Metal-Arc Welding of High Nickel Alloys, 927–936 (Nov).

Telford, R. T.—New Applications for Gas Metal-Arc Welding with Short-Circuiting Transfer, 169–176 (Mar).
Terrill, J. R.—Attaching Electrical Contacts to Aluminum Conductors, 647–654, (Aug).
Thomas, H. N.—Automatic Welding of LOX Tunnels on the Saturn V. Booster, 394–401 (May).
Thurber, W. C.—Fabrication Procedures for Enrico Fermi Fast Breeder Reactor Fuel Elements, 1027–1034 (Dec).

Vilkas, E. P.—New Developments in Gas Metal-Arc Welding Control Systems, 838–845 (Oct).

Watkins, G. E.—Gas Metal-Arc Welding of Low-Alloy Steel Pipe, 379–386 (May).
Wolcott C. G.—High Frequency Welded Structural Shapes, 921–926 (Nov).

Zuchowski, R. S.—Vertical Submerged-Arc Welding, 829–837 (Oct).

* A Practical Welder and Designer article.

WELDING RESEARCH SUPPLEMENT

SUBJECT INDEX

Aircraft and Commercial Applications of Direct Current Resistance Welding Using Silicon Diodes—J. P. THORNE, 282-s to 288-s (Jun).
Aluminum Alloy Plate Weldments, Fracture Toughness of X7000-Series—A. T. D'ANNESSA, 509-s to 522-s (Nov).
Aluminum Alloy 2219, Heavy Gage, Electron Beam Welded—M. W. BRENNECKE, 27-s to 39-s (Jan).
Aluminum Alloy X7005, High-Strength, Joining New—J. H. DUDAS, 358-s to 364-s (Aug).
Aluminum Alloys, the Effect of Pressure on the Gas Metal-Arc Welding of—G. R. SALTER, 107-s to 115-s (Mar).
Aluminum Alloys, Welding 2000 Series at Cryogenic Temperatures—D. E. SCHILLINGER, I. G. BETZ, F. W. HUSSEY and H. MARKUS, 317-s to 326-s (Jul).
Aluminum Butt Welds, Weld Shrinkage and Control of Distortion in—C. L. CLINE, 523-s to 528-s (Nov).
Aluminum Plate, Gas Tungsten-Arc Welding of Heavy—J. A. LIPTAK, 276-s to 281-s (Jun).
Arc Welding Power Source, Solid State Constant Potential Using Silicon Controlled Rectifiers, Development of—J. N. KUHR and B. J. ALDENHOFF, 471-s to 475-s (Oct).
Arc-Image Welding—W. A. KAEHLER, JR., S. BANK and A. F. TRABOLD, 497-s to 503-s (Nov).
Atmospheres, Weld Chamber, Measurement and Control of—D. R. STONER, and G. G. LESSMAN, 337-s to 346-s (Aug).
Austenitic Stainless Steels, Influence of Phosphorus and Sulfur on the Properties of Weld Metal—AXEL BERSTEIN, JAN-CHRISTER CARLEN and LEIF RICK, 504-s to 508-s (Nov).
Automatic Gas Tungsten-Arc Welding of Magnesium—L. F. LOCKWOOD, 213-s to 220-s (May).

Carbon Influence on Stress Fupture Properties of Cr – Mo Weld Metal—H. C. CAMPBELL, 64-s to 71-s (Feb).
Castellated Steel Beams, Elastic Flexural Stress Distribution in Webs of—Z. SHOUKRY, 231-s to 240-s (May).
Charpy Test Results, Correlation of, for Standard and Nonstandard Size Specimens—R. C. NcNICOL, 385-s to 392-s (Sep).
Cold Work, Evaluating the Effects of, on Resistance Seamwelding Electrodes—H. A. MULLEN, 376-s to 380-s (Aug).
Constructional Alloy Steel, Fatigue Strength of, Longitudinal Fillet Weldments in—H. S. REEMSNYDER, 458-s to 465-s (Oct).
Controlling Weld Segregation to Avoid Cracking in a Cu – Si – Mn Alloy—R. S. BRAY and L. J. LOZANO, 424-s to 432-s (Sep).
Correlation of Charpy Test Results for Standard and Nonstandard Size Specimens—R. C. McNICOL, 385-s to 392-s (Sep).
Cracking in a Cu – Si – Mn Alloy, Controlling Weld Segregation to Avoid—R. S. BRAY and L. J. LOZANO, 424-s to 432-s (Sep).
Creep Tests, High Temperature, on Model Pressure Vessels—PVRC SUBCOMMITTEE ON EFFECTS OF FABRICATION OPERATIONS ON MATERIALS FOR HIGH TEMPERATURE SERVICE, 347-s to 357-s (Aug).
Cr – Mo Weld Metal, Influence of Carbon on Stress Rupture Properties of—H. C. CAMPBELL, 64-s to 71-s (Feb).
Cryogenic Piping Service, Fabrication of Iron-Nickel Alloys for—T. GOTTLIEB and C. S. SHIRA, 116-s to 123-s (Mar).
Cryogenic Temperatures, High Strength Stainless Steel Resistance Welds at—R. D. BEEMER, 372-s to 375-s (Aug).
Cryogenic Temperatures, Welding 2000 Series Aluminum Alloys at—D. E. SCHILLINGER, I. G. BETZ, F. W. HUSSEY and H. MARKUS, 317-s to 326-s (Jul).
Current Research Problems, 549-s to 575-s (Dec).

Development of a Solid State Constant Potential Arc Welding Power Source Using Silicon Controlled Rectifiers—J. N. KUHR and B. J. ALDENHOFF, 471-s to 475-s (Oct).
Discontinuities, Interface Study of Resistance Spot Welded Stainless Steel—W. E. WITZELL and H. F. GREER, 402-s to 408-s (Sep).
D-6ac Steel for Large Rocket Motor Cases, Welding Evaluation of—R. E. CLARK and L. J. PRIVOZNIK, 199-s to 211-s (May).
Ductility of Steel Under the Influence of External High Pressure Hydrogen—W. HOFMANN and W. RAULS, 225-s to 230-s (May).

Effect of Electrode Geometry in Gas Tungsten-Arc Welding—W. F. SAVAGE, S. S. STRUNCK and Y. ISHIKAWA, 489-s to 496-s (Nov).
Effect of External Geometry on Fatigue Behavior of Welded Joints—W. W. SANDERS, JR., A. T. DERECHO and W. H. MUNSE, 49-s to 55-s (Feb).
Effect of Pressure on the Gas Metal-Arc Welding of Aluminum Alloys— G. R. SALTER, 107-s to 115-s (Mar).
Effect of Projection Geometry Upon Weld Quality and Strength—J. V. ADAMS, G. N. MATTHEWS and M. L. BEGEMAN, 466-s to 470-s (Oct).
Effects of Flame Cambering on the Bending Strength of I-Beams—T. W. CROOKER and H. L. HARRISON, 545-s to 548-s (Dec).
Elastic Flexural Stress Distribution in Webs of Castellated Steel Beams—Z. SHOUKRY, 231-s to 240-s (May).
Electrode Geometry, The Effect of in Gas Tungsten-Arc Welding—W. F. SAVAGE, S. S. STRUNCK and Y. ISHIKAWA, 489-s to 496-s (Nov).
Electrode Separation Applied to Quality Control in Resistance Welding—D. N. WALKER and P. M. KNOWLson, 168-s to 174-s (Apr).
Electron Beam Welded Heavy Gage Aluminum Alloy 2219—M. W. BRENNECKE, 27-s to 39-s (Jan).
Electrónic-Component Leads, Laser Beam Welding of—A. R. PFLUGER and P. M. MAAS, 264-s to 269-s (Jun).
Electroslag and Electrogas Welds, Properties of—J. E. NORCROSS, 135-s to 143-s (Mar).
Elevated Temperature Fatigue Properties of Pressure Vessel Steels—R. A. DEPAUL, A. W. PENSE and R. D. STOUT, 409-s to 416-s (Sep).
Evaluating the Effects of Cold Work on Resistance Seamwelding Electrodes—H. A. MULLEN, 376-s to 380-s (Aug).
Evaluation of Laser Performance in Microwelding—A. O. SCHMIDT, I. HAM and T. HOSHI, 481-s to 488-s (Nov).
Experimental Studies of the Moment-Thrust Curvature Relationship—M. G. LAY and N. GIMSING, 86-s to 96-s (Feb).

Fabrication of Iron-Nickel Alloys for Cryogenic Piping Service—T. GOTTLIEB and C. S. SHIRA, 116-s to 123-s (Mar).
Fatigue Behavior of Welded Joints, Effect of External Geometry on—W. W. SANDERS, JR., A. T. DERECHO and W. H. MUNSE, 49-s to 55-s (Feb).
Fatigue Properties, Elevated Temperature, of Pressure Vessel Steels—R. A. DEPAUL, A. W. PENSE and R. D. STOUT, 409-s to 416-s (Sep).
Fatigue Strength of Longitudinal Fillet Weldments in Constructional Alloy Steel—H. S. REEMSNYDER, 458-s to 465-s (Oct).
Flame Hardening, Fuel Gases for—G. M. CORBETT, 476-s to 480-s (Oct).
Fracture Toughness of X7000-Series Aluminum Alloy Plate Weldments—A. T. D'ANNESSA, 509-s to 522-s (Nov).
Fracturing, Two Stage, in Welded Mild Steel Plates—W. J. NORDELL and W. J. HALL, 124-s to 134-s (Mar).

Fuel Gases for Flame Hardening—G. M. CORBETT, 476-s to 480-s (Oct).
Fundamental Study of Projection Welding Using High Speed Photography—A. CUNNINGHAM and M. L. BEGEMAN, 381-s to 384-s (Aug).

Galvanized Steel, A Comprehensive Study of Spot Welding of—N. A. FREYTAG, 145-s to 156-s (Apr).
Gas Metal-Arc Welding of Aluminum Alloys, the Effect of Pressure on the—G. R. SALTER, 107-s to 115-s (Mar).
Gas Tungsten-Arc Multi-Cathode Welding—J. E. ANDERSON and D. M. YENNI, 327-s to 331-s (Jul).
Gas Tungsten-Arc, Precision Spot Welding of—W. N. CANULETTE, S. A. AGNEW and N. E. ANDERSON, 270-s to 274-s (Jun).
Gas Tungsten-Arc Welding, The Effect of Geometry in—W. F. SAVAGE, S. S. STRUNCK and Y. ISHIKAWA, 489-s to 496-s (Nov).
Gas Tungsten-Arc Welding Heavy Aluminum Plate—J. A. LIPTAK, 276-s to 281-s (Jun).

Heat Transfer During Resistance Welding and Dip Soldering—D. J. SULLIVAN, 79-s to 85-s (Feb).
High Speed Photography, A Fundamental Study of Projection Welding Using—A. CUNNINGHAM and M. L. BEGEMAN, 381-s to 384-s (Aug).
High Strength Stainless Steel Resistance Welds at Cryogenic Temperatures—R. D. BEEMER, 372-s to 375-s (Aug).
High Temperature Creep Tests on Model Pressure Vessels—PVRC SUBCOMMITTEE ON EFFECTS OF FABRICATION OPERATIONS ON MATERIALS FOR HIGH TEMPERATURE SERVICE, 347-s to 357-s (Aug).
High-Toughness Alloy Plate Weldment with a Minimum Yield Strength of 140 ksi, Structural Suitability of a—S. T. ROLFE, R. P. HAAK and J. H. GROSS, 40-s to 48-s (Jan).
Hydrogen, Ductility of Steel Under the Influence of External High Pressure—W. HOFMANN and W. RAULS, 225-s to 230-s (May).
Hydrogen High-Pressure. The Effect of, Upon The Notch Tensile Strength and Fracture Mode of 4140 Steel—J. B. STEINMAN, H. C. VAN NESS and G. S. ANSELL, 221-s to 224-s (May).

Influence of Carbon on Stress Rupture Properties of Cr – Mo Weld Metal—H. C. CAMPBELL, 64-s to 71-s (Feb).
Influence of Phosphorus and Sulfur on the Properties of the Weld Metal in Certain Austenitic Stainless Steels—AXEL BERNSTEIN, JAN-CHRISTER CARLEN and LEIF RICK, 504-s to 508-s (Nov).
Inspection of Resistance Spot Welds, Ultrasonic In-Process—G. E. BURBANK and W. D. TAYLOR, 193-s to 198-s (May).
Iron-Nickel Alloys for Cryogenic Piping Service, Fabrication of—T. GOTTLIEB and C. S. SHIRA, 116-s to 123-s (Mar).

Joining New High-Strength Aluminum Alloy X7005—J. H. DUDAS, 358-s to 364-s (Aug).

Laser Beam Welding Electronic-Component Leads—A. R. PFLUGER and P. M. MAAS, 264-s to 269-s (Jun).
Laser Performance, An Evaluation of, in Microwelding—A. O. SCHMIDT, I. HAM and T. HOSHI, 481-s to 488-s (Nov).

Magnesium, Automatic Gas Tungsten-Arc Welding of—L. F. LOCKWOOD, 213-s to 220-s (May).
Maraging Stainless Steels, Welding of—R. H. KALTENHAUSER, 394-s to 397-s (Sep).
Maraging Steel, 18% Nickel, Submerged-Arc Welding of—F. D. DUFFEY and W. SUTAR, 251-s to 263-s (Jun).
Maraging Steels, The Welding of 12% Nickel for—R. J. KNOTH and W. A. PETERSEN, 21-s to 26-s (Jan).
Measurement and Control of Weld Chamber Atmospheres—D. R. STONER and G. G. LESSMAN, 337-s to 346-s (Aug).
Measurement of the Degree of Segregation in Monel 404 Weld Metal by X-Ray Line Broadening—R. W. HECKEL, J. H. RICKETTS, JR., and J. BUCHWALD, 332-s to 336-s (Jul).
Microwelding, An Evaluation of Laser Performance in—A. O. SCHMIDT, I. HAM and T. HOSHI, 481-s to 488-s (Nov).
Moment-Thrust Curvature Relationship, Experimental Studies of the—M. G. LAY and N. GIMSING, 86-s to 96-s (Feb).
Multi-Cathode Gas Tungsten-Arc Welding—J. E. ANDERSON and D. M. YENNI, 327-s to 331-s (Jul).

New Low-Silica Compositions for Submerged-Arc Welding—T. L. COLESS, 72 to 78-s (Feb).
Nodular Iron, Solid Phase Welding of, to Low Carbon Steel—S. H. CARRIERE and R. V. WOLF, 398-s to 401-s (Sep).
Notch Tensile Strength and Fracture Mode of 4140 Steel, The Effect of High Pressure Hydrogen Upon the—J. B. STEINMAN, H. C. VAN NESS and G. S. ANSELL, 221-s to 224-s (May).

Out-of-Chamber Welding of Ti – 7Al – Cb – 1 Ta Alloy Titanium Plate—R. J. WOLFE, H. NAGLER, J. R. CRISCI and A. L. FRANK, 443-s to 457-s (Oct).

Pigma Welding—A Method For Reducing Weld Porosity—R. B. BARKER, 1-s to 6-s (Jan).
Porosity in Titanium Welds—D. R. MITCHELL, 157-s to 167-s (Apr).
Porosity in Welds, Pigma Welding—A Method For Reducing—R. B. BARKER, 1-s to 6-s (Jan).
Postweld Heat Treatment, Effect of, on a Superalloy Weld Deposit—W. A. OWCZARSKI and C. P. SULLIVAN, 241-s to 250-s (Jun).
Precision Gas Tungsten-Arc Spot Welding—W. N. CANULETTE, S. A. AGNEW and N. E. ANDERSON, 270-s to 274-s (Jun).
Pressure Vessel Steels, Elevated Temperature Fatigue Properties of—R. A. DEPAUL, A. W. PENSE and R. D. STOUT, 409-s to 416-s (Sep).
Pressure Vessels, High Temperature Creep Tests on Model—PVRC SUBCOMMITTEE ON EFFECTS OF FABRICATION OPERATIONS ON MATERIALS FOR HIGH TEMPERATURE SERVICE, 347-s to 357-s (Aug).
Projection Geometry, Effect of, Upon Weld Quality and Strength—J. V. ADAMS, G. N. MATTHEWS, and M. L. BEGEMAN, 466-s to 470-s (Oct).
Projection Weld Quality Determination Based on Dynamic-Displacement of the Electrode—O. E. WEISS, L. F. KREISLE and M. L. BEGEMAN, 417-s to 423-s (Sep).
Projection Welding, A Fundamental Study of, Using High Speed Photography—A. CUNNINGHAM and M. L. BEGEMAN, 381-s to 384-s (Aug).
Properties of Electroslag and Electrogas Welds—J. E. NORCROSS, 135-s to 143-s (Mar).

Quality Control in Resistance Welding, Electrode Separation Applied To—D. N. WALKER and P. M. KNOWLSON, 168-s to 174-s (Apr).
Quenched and Tempered Steels, Welding of—W. D. DOTY, 289-s to 309-s (Jul).

Reduction of Fire Hazard From Oxygen Cutting—D. C. BROWN, H. SCHWARTZBART and D. K. AUCK, 7-s to 20-s (Jan).
Relationship of Dilatometric Characteristics of Steels to Delayed Cracking in Welds—T. E. TOROK and R. D. STOUT, 529-s to 544-s (Dec).
Residual Stresses in a Butt-Welded Flat Plate—H. T. GENCSOY and J. P. O'LEARY, 56-s to 63-s (Feb).
Resistance Seamwelding Electrodes, Evaluating the Effects of Cold work on—H. A. MULLEN, 376-s to 380-s (Aug).
Resistance Spot Welded Stainless Steel, Study of Interface Discontinuities in—W. E. WITZELL and H. F. GREER, 402-s to 408-s (Sep).
Resistance Spot Welding of Titanium Alloy 8A1 – 1Mo – 1V—K. C. WU and T. A. KRINKE, 365-s to 371-s (Aug).
Resistance Spot Welds, Ultrasonic In-Process Inspection of—G. E. BURBANK and W. D. TAYLOR, 193-s to 198-s (May).
Resistance Welding and Dip Soldering, Heat Transfer during—D. L. SULLIVAN, 79-s to 85-s (Feb).
Resistance Welding, Direct Current, Using Silicon Diodes, Aircraft and Commercial Applications of—J. P. THORNE, 282-s to 288-s (Jun).
Resistance Welding, Electrode Separation Applied to, Quality Control in—D. N. WALKER and P. M. KNOWLson, 168-s to 174-s (Apr).
Resistance Welds, High Strength Stainless Steel, at Cryogenic Temperatures—R. D. BEEMER, 372-s to 375-s (Aug).
Restraint Cracking Technique for Use in Simulated Weld Thermal Cycling Studies—W. G. SCHREITZ, 310-s to 316-s (Jul).

Segregation in Monel 404 Weld Metal, Measurement of the Degree of by X-Ray line Broadening—R. W. HECKEL, J. H. RICKETTS, JR., and J. BUCHWALD, 332-s to 336-s (Jul).
Simulated Weld Thermal Cycling Studies, Restraint Cracking Technique for Use in—W. G. SCHREITZ, 310- to 316-s (Jul).
Solid Phase Welding of Nodular Iron to Low Carbon Steel—S. H. CARRIERE and R. V. WOLF, 398-s to 401-s (Sep).
Solid State Constant Potential Arc Welding Power Source Using Silicon Controlled Rectifiers, Development of a—J. N. KUHR and B. J. ALDENHOFF, 471-s to 475-s (Oct).
Solidification Mechanics of Weld Metal—W. F. SAVAGE, C. D. LUNDIN and A. H. ARONSON, 175-s to 181-s (Apr).
Spot Welding Galvanized Steel, A Comprehensive Study of—N. A. FREYTAG, 145-s to 156-s (Apr).
Spot Welding, Precision Gas Tungsten-Arc—W. N. CANULETTE, S. A. AGNEW and N. E. ANDERSON, 270-s to 274-s (Jun).
Stainless Steel, High Strength, Resistance Welds at Cryogenic Temperatures—R. D. BEEMER, 372-s to 375-s (Aug).
Stainless Steels, Maraging, Welding of—R. H. KALTENHAUSER, 394-s to 397-s (Sep).
Stress Rupture Properties of Cr – Mo Weld Metal, Influence of Carbon on—H. C. CAMPBELL, 64-s to 71-s (Feb).
Structural Suitability of a High-Toughness Alloy Plate Weldment with A Minimum Yield Strength of 140 ksi—S. T. ROLFE, R. P. HAAK and J. H. GROSS, 40-s to 48-s (Jan).
Study of Interface Discontinuities in Resistance Spot Welded Stainless Steel—W. E. WITZELL and H. F. GREER, 402-s to 408-s (Sep).
Submerged-Arc Welding of 18% Nickel Maraging Steel F. D. DUFFEY and W. SUTAR, 251-s to 263-s (Jun).
Submerged-Arc Welding, New Low-Silica Compositions for—T. L. COLESS, 72-s to 78-s (Feb).
Superalloy Weld Deposit, Effect of Postweld Heat Treatment on a—W. A. OWCZARSKI and C. P. SULLIVAN, 241-s to 250-s (Jun).

Thermal Cycling Studies, Restraint Cracking Technique for Use in Simulated Weld—W. G. SCHREITZ, 310-s to 316-s (Jul).
Titanium Alloy 8Al – 1Mo – 1V, Resistance Spot Welding of—K. C. WU and T. A. KRINKE, 365-s to 371-s (Aug).
Titanium Plate, Out-of-Chamber Welding of Ti – 7Al – 2Cb – 1Ta Alloy—R. J. WOLFE, H. NAGLER, J. R. CRISCI and A. L. FRANK, 443-s to 457-s (Oct).
Titanium Welds, Porosity In—D. R. MITCHELL, 157-s to 167-s (Apr).
Tungsten-Arc, Automatic Gas, Welding of Magnesium—L. F. LOCKWOOD, 213-s to 220-s (May).
Two Stage Fracturing in Welded Mild Steel Plates—W. J. NORDELL and W. J. HALL, 124-s to 134-s (Mar).

Ultrasonic In-Process Inspection of Resistance Spot Welds—G. E. BURBANK and W. D. TAYLOR, 193-s to 198-s (May).
Ultrasonic Inspection of Welds—B. OSTROFSKY, 97-s to 105-s (Mar).

Varestraint Test—W. F. SAVAGE and C. D. LUNDIN, 433-s to 442-s (Oct).

Weld Chamber Atmospheres, Measurement and Control of—D. R. STONER and G. G. LESSMAN, 337-s to 346-s (Aug).
Weld Deposit, Superalloy, Effect of Postweld Heat Treatment on a—W. A. OWCZARSKI and C. P. SULLIVAN, 241-s to 250-s (Jun).
Weld Metal, Influence of Phosphorus and Sulfur on the Properties of Certain Austenitic Stainless Steels—AXEL BERNSTEIN, JAN-CHRISTER CARLEN and LEIF RICK, 504-s to 508-s (Nov).
Weld Metal Solidification Mechanics—W. F. SAVAGE, C. D. LUNDIN and A. H. ARONSON, 175-s to 181-s (Apr).
Weld Quality and Strength, Effect of Projection Geometry Upon—J. V. ADAMS, G. N. MATTHEWS and M. L. BEGEMAN, 466-s to 470-s (Oct).
Weld Segregation, Controlling, to Avoid Cracking in a Cu – Si – Mn Alloy—R. S. BRAY and L. J. LOZANO, 424-s to 432-s (Sep).
Weld Shrinkage and Control of Distortion in Aluminum Butt Welds—C. L. CLINE, 523-s to 528-s (Nov).
Welding Evaluation of D-6ac Steel for Large Rocket Motor Cases—R. E. CLARK and L. J. PRIVOZNIK, 199-s to 211-s (May).
Welding Maraging Stainless Steels—R. H. KALTENHAUSER, 394-s to 397-s (Sep).
Welding Procedures, Studies of—Part II—W. J. HALL, J. R. JOSHI and W. H. MUNSE, 182-s to 192-s (Apr).
Welding of Quenched and Tempered Steels—W. D. DOTY, 289-s to 309-s (Jul).
Welding of 12% Nickel Maraging Steels—R. J. KNOTH and W. A. PETERSEN, 21-s to 26-s (Jan).
Welding 2000 Series Aluminum Alloys at Cryogenic Temperatures—D. E. SCHILLINGER, I. G. BETZ, F. W. HUSSEY and H. MARKUS, 317-s to 326-s (Jul).

X-Ray Line Broadening, Measurement of the Degree of Segregation in Monel 404 Weld Metal by—R. W. HECKEL, J. H. RICKETTS, JR., and J. BUCHWALD, 332-s to 336-s (Jul).

AUTHOR INDEX

ADAMS, J. V.—Effect of Projection Geometry upon Weld Quality and Strength, 466-s to 470-s (Oct).
AGNEW, S. A.—Precision Gas Tungsten-Arc Spot Welding, 270-s to 275-s (Jun).
ALDENHOFF, B. J.—Development of a Solid State Constant Potential Arc Welding Power Source Using Silicon Controlled Rectifiers, 471-s to 473-s (Oct).
ANDERSON, J. E.—Multi-Cathode Gas Tungsten-Arc Welding, 327-s to 331-s (Jul).
ANDERSON, N. E.—Precision Gas Tungsten-Arc Spot Welding, 270-s to 275-s (Jun).
ANSELL, G. S.—The Effect of High-Pressure Hydrogen Upon the Notch Tensile Strength and Fracture Mode of 4140 Steel, 221-s to 224-s (May).
ARONSON, A. H.—Weld Metal Solidification Mechanics, 175-s to 181-s (Apr).
AUCK, D. K.—Reduction of Fire Hazard from Oxygen Cutting, 7-s to 19-s (Jan).

BANK, S.—Arc Image Welding, 497-s to 503-s (Nov).
BARKER, R. B.—Pigma Welding—A Method for Reducing Weld Porosity, 1-s to 6-s (Jan).
BEEMER, R. D.—High Strength Stainless Steel Resistance Welds at Cryogenic Temperatures, 372-s to 374-s (Aug).
BEGEMAN, M. L.—A Fundamental Study of Projection Welding Using High Speed Photography, 381-s to 384-s (Aug).
Project Weld Quality Determination Based on Dynamic-Displacement of the Electrode, 417-s to 423-s (Sep).
Effect of Projection Geometry upon Weld Quality and Strength, 466-s to 470-s (Oct).
BERNSTEIN, A.—Influence of Phosphorus and Sulfur on the Properties of the Weld Metal in Certain Austenitic Stainless Steels, 504-s to 508-s (Nov).
BETZ, I. G.—Welding 2000 Series Aluminum Alloys at Cryogenic Temperatures, 317-s to 326-s (Jul).
BRAY, R. S.—Controlling Weld Segregation to Avoid Cracking a Cu-Si-Mn Alloy, 424-s to 432-s (Sep).
BRENNECKE, M. W.—Electron Beam Welded Heavy Gage Aluminum Alloy 2219, 27-s to 39-s (Jan).
BROWN, D. C.—Reduction of Fire Hazard from Oxygen Cutting, 7-s to 19-s (Jan).
BUCHWALD, J.—Measurement of the Degree of Segrega-

tion in Monel 404 Weld Metal by X-Ray Line Broadening, 332-s to 336-s (Jul).
BURBANK, G. E.—Ultrasonic In-Process Inspection of Resistance Spot Welds, 193-s to 198-s (May).

CAMPBELL, H. C.—Influence of Carbon on Stress Rupture Properties of Cr-Mo Weld Metal, 64-s to 71-s (Feb).
CANULETTE, W. N.—Precision Gas Tungsten-Arc Spot Welding, 270-s to 275-s (Jun).
CARLEN, JAN-CHRISTER—Influence of Phosphorus and Sulfur on the Properties of the Weld Metal in Certain Austenitic Stainless Steels, 504-s to 508-s (Nov).
CARRIERE, S. H.—Solid Phase Welding of Nodular Iron to Low Carbon Steel, 398-s to 401-s (Sep).
CLARK, R. E.—Welding Evaluation of D-6ac Steel for Large Rocket Motor Cases, 199-s to 211-s (May).
CLINE, C. L.—Weld Shrinkage and Control of Distortion in Aluminum Butt Welds, 523-s to 528-s (Nov).
COLESS, T. L.—New Low-Silica Compositions for Submerged-Arc Welding, 72-s to 77-s (Feb).
CORBETT, G. M.—Fuel Gases for Flame Hardening, 476-s to 480-s (Oct).
CRISCI, J. R.—Out-of-Chamber Welding of Ti – 7Al – 2Cb – 1Ta Alloy Titanium Plate, 443-s to 457-s (Oct).
CROOKER, T W.—The Effects of Flame Cambering on the Bending Strength of I-Beams, 545-s to 548-s (Dec).
CUNNINGHAM, A.—A Fundamental Study of Projection Welding Using High Speed Photography, 381-s to 384-s (Aug).

D'ANNESSA, A. T.—Fracture Toughness of X7000-Series Aluminum Alloy Plate Weldments, 509-s to 522-s (Nov).
DEPAUL, R. A.—The Elevated Temperature Fatigue Properties of Pressure Vessel Steels, 409-s to 416-s (Sep).
DERECHO, A. T.—Effect of External Geometry on Fatigue Behavior of Welded Joints, 49-s to 55-s (Feb).
DOTY, W. D.—Welding of Quenched and Tempered Steels, 289-s to 309-s (Jul).
DUDAS, J. H.—Joining New High Strength Aluminum Alloy X7005, 358-s to 364-s (Aug).
DUFFEY, F. D.—Submerged-Arc Welding of 18% Nickel Maraging Steel, 251-s to 263-s (Jun).

FRANK, A. L.—Out-of-Chamber Welding of Ti – 7Al – 2Cb – 1Ta Alloy Titanium Plate, 443-s to 457-s (Oct).
FREYTAG, N. A.—A Comprehensive Study of Spot Welding Galvanized Steel, 145-s to 156-s (Apr).

GENSCOY, H. T.—Residual Stresses in a Butt-Welded Flat Plate, 56-s to 63-s (Feb).
GIMSING, N.—Experimental Studies of the Moment-Thrust-Curvature Relationship, 86-s to 96-s (Feb).
GOTTLIEB, T.—Fabrication of Iron-Nickel Alloys for Cryogenic Piping Service, 116-s to 123-s (Mar).
GREER, H. F.—Study of Interface Discontinuities in Resistance Spot Welded Stainless Steel, 402-s to 408-s (Sep).
GROSS, J. H.—Structural Suitability of a High-Toughness Alloy Plate Weldment with a Minimum Yield Strength of 140 ksi, 40-s to 48-s (Jan).

HAAK, R. P.—Structural Suitability of a High-Toughness Alloy Plate Weldment with a Minimum Yield Strength of 140 ksi, 40-s to 48-s (Jan).
HALL, W. J.—Two Stage Fracturing in Welded Mild Steel Plates, 124-s to 134-s (Mar).
Studies of Welding Procedure—Part II, 182-s to 192-s (Apr).
HAM, I.—An Evaluation of Laser Performance in Microwelding, 481-s to 488-s (Nov).
HARRISON, H. L.—The Effects of Flame Cambering on the Bending Strength of I-Beams, 545-s to 548-s (Dec).
HECKEL, R. W.—Measurement of the Degree of Segregation in Monel 404 Weld Metal by X-Ray Line Broadening, 332-s to 336-s (Jul).
HOFMANN, W.—Ductility of Steel Under the Influence of External High Pressure Hydrogen, 225-s to 230-s (May).
HOSHI, T.—An Evaluation of Laser Performance in Microwelding, 481-s to 488-s (Nov).
HUSSEY, F. W.—Welding 2000 Series Aluminum Alloys at Cryogenic Temperatures, 317-s to 326-s (Jul).

ISHIKAWA, Y.—The Effect of Electrode Geometry in Gas Tungsten-Arc Welding, 489-s to 496-s (Nov).

JOSHI, J. R.—Studies of Welding Procedures—Part II, 182-s to 192-s (Apr).

KAEHLER, W. A., JR.—Arc Image Welding, 497-s to 503-s (Nov).
KALTENHAUSER, R. H.—Welding Maraging Stainless Steels, 394-s to 397-s (Sep).
KNOTH, R. J.—The Welding of 12% Nickel Maraging Steels, 21-s to 28-s (Jan).
KNOWLSON, P. M.—Electrode Separation Applied to Quality Control in Resistance Welding, 168-s to 174-s (Apr).
KREISEL, L. F.—Projection Weld Quality Determination Based on Dynamic-Displacement of the Electrode, 417-s to 423-s (Sep).
KRINKE, T. A.—Resistance Spot Welding of Titanium Alloy 8Al – 1Mo – 1V, 365-s to 371-s (Aug).
KUHR, J. N.—Development of a Solid State Constant Potential Arc Welding Power Source Using Silicon Controlled Rectifiers, 471-s to 475-s (Oct).

LAY, M. G.—Experimental Studies of the Moment-Thrust Curvature Relationship, 86-s to 96-s (Feb).
LESSMANN, G. G.—Measurement and Control of Weld Chamber Atmospheres, 337-s to 346-s (Aug).
LIPTAK, J. A.—Gas Tungsten-Arc Welding Heavy Aluminum Plate, 276-s to 281-s (Jun).
LOCKWOOD, L. F.—Automatic Gas Tungsten-Arc Welding of Magnesium, 213-s to 219-s (May).
LOZANO, L. J.—Controlling Weld Segregation to Avoid Cracking a Cu-Si-Mn Alloy, 424-s to 432-s (Sep).
LUNDIN, C. D.—Weld Metal Solidification Mechanics, 175-s to 181-s (Apr).
The Varestraint Test, 433-s to 442-s (Oct).

MAAS, P. M.—Laser Beam Welding Electronic-Component Leads, 264-s to 268-s (Jun).
MARKUS, H.—Welding 2000 Series Aluminum Alloys at Cryogenic Temperatures, 317-s to 326-s (Jul).
MATTHEWS, G. N.—Effect of Projection Geometry upon Weld Quality and Strength, 466-s to 470-s (Oct).
MCNICOL, R. C.—Correlation of Charpy Test Results for Standard and Nonstandard Size Specimens, 385-s to 392-s (Sep).
MITCHELL, D. R.—Porosity in Titanium Welds, 157-s to 167-s (Apr).
MULLEN, H. A.—Evaluating the Effects of Cold Work on Resistance Seamwelding Electrodes, 376-s to 380-s (Aug).
MUNSE, W. H.—Effect of External Geometry on Fatigue Behavior of Welded Joints, 49-s to 55-s (Feb).
Studies of Welding Procedures—Part II, 182-s to 192-s (Apr).

NAGLER, H.—Out-of-Chamber Welding of Ti – 7Al – 2Cb – 1Ta Alloy Titanium Plate, 443-s to 457-s (Oct).
NORCROSS, J. E.—Properties of Electroslag and Electrogas Welds, 135-s to 140-s (Mar).
NORDELL, W. J.—Two Stage Fracturing in Welded Mild Steel Plates, 124-s to 134-s (Mar).

O'LEARY, J. P—Residual Stresses in a Butt-Welded Flat Plate, 56-s to 63-s (Feb).
OSTROFSKY, B.—Ultrasonic Inspection of Welds, 97-s to 105-s (Mar).
OWCZARSKI, W. A.—Effect of Postweld Heat Treatment on a Superalloy Weld Deposit, 241-s to 250-s (Jun).

PENSE, A. W.—The Elevated Temperature Fatigue Properties of Pressure Vessel Steels, 409-s to 416-s (Sep).
PETERSEN, W. A.—The Welding of 12% Nickel Maraging Steels, 21-s to 28-s (Jan).
PFLUGER, A. R.—Laser Beam Welding Electronic-Component Leads, 264-s to 268-s (Jun).
PINCUS, G.—Buckling of Channel Purlins with an Enforced Axis of Rotation, 141-s to 143-s (Mar).

PRIVOZNIK, L. J.—Welding Evaluation of D-6ac Steel for Large Rocket Motor Cases, 199-s to 211-s (May).
PVRC SUBCOMMITTEE ON EFFECTS OF FABRICATION OPERATIONS ON MATERIALS FOR HIGH TEMPERATURE SERVICE—High Temperature Creep Tests on Model Pressure Vessels, 347-s to 357-s (Aug).

RAULS, W.—Ductility of Steel Under the Influence of External High Pressure Hydrogen, 225-s to 230-s (May).
REEMSYNDER, H. S.—Fatigue Strength of Longitudinal Fillet Weldments in Constructional Alloy Steel, 458-s to 465-s (Oct).
RICK, L.—Influence of Phosphorus and Sulfur on the Properties of the Weld Metal in Certain Austenitic Stainless Steels, 504-s to 508-s (Nov).
RICKETTS, J. H., JR.—Measurement of the Degree of Segregation in Monel 404 Weld Metal by X-Ray Line Broadening, 332-s to 336-s (Jul).
ROLFE, S. T.—Structural Suitability of a High-Toughness Alloy Plate Weldment with a Minimum Yield Strength of 140 ksi, 40-s to 48-s (Jan).

SALTER, G. R.—The Effect of Pressure on the Gas Metal-Arc Welding of Aluminum, 107-s to 115-s (Mar).
SANDERS, W. W., JR.—Effect of External Geometry on Fatigue Behavior of Welded Joints, 49-s to 55-s (Feb).
SAVAGE, W. F.—Weld Metal Solidification Mechanics, 175-s to 181-s (Apr).
The Varestraint Test, 433-s to 442-s (Oct).
The Effect of Electrode Geometry in Gas Tungsten-Arc Welding, 439-s to 496-s (Nov).
SCHILLINGER, D. E.—Welding 2000 Series Aluminum Alloys at Cryogenic Temperatures, 317-s to 326-s (Jul).
SCHMIDT, A. O.—An Evaluation of Laser Performance in Microwelding, 481-s to 488-s (Nov).
SCHREITZ, W. G.—Restraint Cracking Technique for Use in Simulated Weld Thermal Cycling Studies, 310-s to 316-s (Jul).
SCHWARTZBART, H.—Reduction of Fire Hazard from Oxygen Cutting, 7-s to 19-s (Jan).
SHIRA, C. S.—Fabrication of Iron-Nickel Alloys for Cryogenic Piping Service, 116-s to 123-s (Mar).
SHOUKRY, Z.—Elastic Flexural Stress Distribution in Webs of Castellated Steel Beams, 231-s to 240-s (May).
STEINMAN, J. B.—The Effect of High-Pressure Hydrogen Upon the Notch Tensile Strength and Fracture Mode of 4140 Steel, 221-s to 224-s (May).
STONER, D. R.—Measurement and Control of Weld Chamber Atmospheres, 337-s to 346-s (Aug).
STOUT, R. D.—The Elevated Temperature Fatigue Properties of Pressure Vessel Steels, 409-s to 416-s (Sep).
Relationship of Dilatometric Characteristics of Steels to Delayed Cracking in Welds, 529-s to 544-s (Dec).
STRUNCK, S. S.—The Effect of Electrode Geometry in Gas Tungsten-Arc Welding, 489-s to 496-s (Nov).
SULLIVAN, C. P.—Effect of Postweld Heat Treatment on a Superalloy Weld Deposit, 241-s to 250-s (Jun).
SULLIVAN, D. J.—Heat Transfer During Resistance Welding and Dip Soldering, 79-s to 85-s (Feb).
SUTAR, W.—Submerged-Arc Welding of 18% Nickel Maraging Steel, 251-s to 263-s (Jun).

TAYLOR, W. D.—Ultrasonic In-Process Inspection of Resistance Spot Welds, 193-s to 198-s (May).
THORNE, J. P.—Aircraft and Commercial Applications of D rect Current Resistance Welding Using Diodes, 282-s to 288-s (Jun).
TOROK, T. E.—Relationship of Dilatometric Characteristics of Steels to Delayed Cracking in Welds, 529-s to 544-s (Dec).
TRABOLD, A. F.—Arc Image Welding, 497-s to 503-s (Nov).

VAN NESS, H. C.—The Effect of High-Pressure Hydrogen Upon the Notch Tensile Strength and Fracture Mode of 4140 Steel, 221-s to 224-s (May).

WALLER, D. N.—Electrode Separation Applied to Quality Control in Resistance Welding, 168-s to 174-s (Apr).
WEISS, O. E.—Projection Weld Quality Determination Based on Dynamic-Displacement of the Electrode, 417-s to 423-s (Sep).
WITZELL, W. E.—Study of Interface Discontinuities in Resistance Spot Welded Stainless Steel, 402-s to 408-s (Sep).
WOLF, R. V.—Solid Phase Welding of Nodular Iron to Low Carbon Steel, 398-s to 401-s (Sep).
WOLFE, R. J.—Out-of-Chamber Welding of Ti – 7Al – 2Cb – 1Ta Alloy Titanium Plate, 443-s to 457-s (Oct).
WU, K. C.—Resistance Spot Welding of Titanium Alloy 8Al – 1Mo – 1V, 365-s to 371-s (Aug).

YENNI, D. M.—Multi-Cathode Gas Tungsten-Arc Welding, 327-s to 331-s (Jul).

Now . . . slip cases for readers of the Welding Journal . Only $3.00 each

◇ Handsome, rugged, custom designed slip cases to keep your copies orderly and easily accessible for future reference.

◇ Each slip case holds 12 issues (yearly volume) of the Journal. Stands upright—Journal issues slip in and out easily.

◇ Made from the finest quality binders board, covered with washable simulated leather. Black sides with front in Decorator's red. Title and AWS symbol imprinted in 23K gold. Gold foil provided with each slip case for the user to insert date and volume in spaces provided within seconds.

◇ An attractive addition to your professional library. Perfect for the home—perfect for your office.

Order: Welding Journal, 345 East 47th St., New York City 10017. Add 5% sales tax on New York City orders. Outside USA—$4.00